

32 ACP LOAD DATA						
Bullet (Make, type)	Powder	Gr., Start	Gr., Max	Vel, Start	Vel, Max	Notes
60 gr HDY XTP	700x	1.8	2.6	800	1,000	
60 gr HDY XTP	AA No. 2	1.7	2.6	800	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	Bullseye	1.9	2.3	850	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	Clays	1.4	1.6	800	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	Clays Int'l	1.7	2.0	800	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	Clays Univ.	2.4	2.6	800	1000	Horandy 7th Ed. Manuel
60 gr HDY XTP	Green Dot	2.1	2.4	800	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	HP-38	1.9	2.3	800	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	Titegroup		2.3			OAL: 0.925, 0.332 crimp; 1.1" groups at 50yds
60 gr HDY XTP	Win 231	2.0	2.5	800	950	Horandy 7th Ed. Manuel
60 gr HDY XTP	VV N310	1.5	1.9		920	OAL 0.894; crimp 0.330 , 1.8 gr.=2.2-in. accuracy at 50yds; 1.9 gr = loads close to factory
60 gr HDY XTP	VV N320	1.6	2.1	800	950	Horandy 7th Ed. Manuel
60 gr Speer GDHP	AA No. 2*		2.6		963	
60 gr Speer GDHP	Bullseye*		2.6		1,030	
60 gr Speer GDHP	H. Universal*		3.0		1,021	
60 gr Speer GDHP	Power Pistol*	3.5	3.6		1,030	
60 gr Speer GDHP	Red Dot*	2.1	2.3		1,030	
60 gr Speer GDHP	Titegroup*	2.4	2.6		1,058	
60 gr Speer GDHP	Unique*	2.9	3.2		971	
60 gr Speer GDHP	VV N310	1.7	1.9	720	875	NMB; <1.0-in accuracy at 25 yds.
60 gr Speer GDHP	Win 231	2.0	2.8			
60 gr Speer GDHP	700x*	2.2	2.6	850	1,060	
62 gr SWC (0.313)	Power Pistol	2.6	2.9	869	1,052	2.6-gr load = 2.7-in. accuracy at 50yds
62 gr SWC (0.313)	AA No. 5	2.8	na	809	870	2.3-in. accuracy at 50yds
62 gr SWC (0.313)	AA No. 5	3.0	na	851	950	2.6-in. accuracy at 50yds
62 gr SWC (0.313)	AA No. 5	3.1	na	900	956	4.4-in. accuracy at 50yds
62 gr SWC (0.313)	Win WST		1.9		980	
62 gr SWC (0.313)	Win 231	2.0	na	859	946	3.9-in. accuracy at 50yds
62 gr SWC (0.314)	700x					
62 gr SWC (0.314)	AA No. 2*	1.6?		919	970	2.0" at 50 yds
62 gr SWC (0.314)	AA No. 5	2.5	2.9	767	829	2.9 gr = 2.1-in. accuracy at 50yds
62 gr SWC (0.314)	AA No. 5	3.0	na	877	967	2.9gr. = 2.5-in. accuracy at 50yds
62 gr SWC (0.314)	HP-38	1.6				
62 gr SWC (0.314)	Power Pistol	2.8	na	967	1,056	4.6-in. accuracy at 50yds
62 gr SWC (0.314)	Power Pistol	2.9	na	1006	1,058	6.3-in. accuracy at 50yds
62 gr SWC (0.314)	Titegroup*	1.5	1.8	785		OAL 0.870; crimp 0.333; 1.7 gr. = 1.5" accuracy at 50 yds
62 gr SWC (0.314)	Titewad	1.15	1.2	750		OAL 0.880, crimp 0.332; 1.15gr.= 1.5" accuracy at 50 yds
62 gr SWC (0.314)	Win 231	1.6	2.4	775	1045	1.7 gr = 1.5-in. accuracy at 50yds
62 gr SWC (0.314)	VV N310	1.6	1.7	775	890	OAL 0.870, crimp 0.333; 1.7 gr. = 1.5-in. accuracy at 50yds; 1.6 gr produced 10x groups at 50 yds; 1.7 gr = 2.5" groups at 50 (not off Ransom)
62 gr SWC (0.314)	VV N310		1.8		1034	OAL 0.860, crimp 0.330, 4.0" at 50 yds, maybe more accurate
71 gr SIE FMJ	AA No. 2	2.0	2.2	572	650	19300 psi
71 gr SIE FMJ	AA No. 5	2.9	3.2	619	703	19700 psi
71 gr SIE FMJ	AutoComp	2.7	3.0	879	937	COL: 0.978
71 gr SIE FMJ	Win 231	2.1	2.3	805	871	COL: 0.978
71 gr SIE FMJ	Titegroup	2.0	2.2	824	910	COL: 0.978
71 gr SIE FMJ	Universal	2.2	2.4	781	881	COL: 0.978
71 gr FMJ	AS30N	1.5	1.7	745	830	15,000 cup
71 gr FMJ	AP70N	2.2	2.4	780	880	14,900 cup
71 gr Win FMJ	AutoComp	2.7	3.0	879	937	

71 gr SIE FMJ	Bullseye	2.0	2.2		835	
71 gr SIE FMJ	Titegroup	2.0	2.2	824	910	
71 gr SIE FMJ	VV N310	2.0	2.2		1,001	
71 gr Hndy FMJ	VV N340		3.0		1,028	OAL 0.980
75 gr Rimrock RNFP	Unique	2.6	2.9		1,035	0.915 OAL
75 gr Rimrock RNFP	Win 231	2.4	2.7		1,069	0.915 OAL
75 gr Rimrock RNFP	Bullseye	1.7	2.6	803	1,067	0.915 OAL
75 gr Rimrock RNFP	Titegroup	2.3	2.5		1,089	0.915 OAL
75 gr Rimrock RNFP	Titegroup	2.0				0.940 OAL; 0.332 crimp, 2.6" at 50 yds
75 gr Rimrock 0.313	V N310	1.6		882		0.895 OAL, crimp 0.330
75 gr Rimrock RNFP	V N320	2.3	2.5		1,074	0.915 OAL
75 gr Rimrock 0.313	Win WST	1.7	2.1	857	958	OAL 0.925, 2.1gr = 2.3-in group at 50 yds
85 gr HDY XTP	No. 2	1.6	1.8	612	695	18800 psi
85 gr HDY XTP	No. 5	2.2	2.4	615	699	19100 psi